MISSISSIPPI STATE DEPARTMENT OF HEALTH MAY 30 AM 9: 07 BUREAU OF PUBLIC WATER SUPPLY CCR CERTIFICATION FORM

CALENDAR YEAR 2012

Public Water Supply Name

O 65 00 / 2

List PWS ID #s for all Community Water Systems included in this CCR

The Federal Safe Drinking Water Act (SDWA) requires each Community public water system to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make sure you follow the proper procedures when distributing the CCR. Since this is the first year of electronic delivery, we request you mail or fax a hard copy of the CCR and Certification Form to MSDH. Please check all boxes that apply.

of e	electronic delivery, we request you mail or fax a hard copy of the CCR and Certification Form to MSDH. Please ck all boxes that apply.
С	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper (attach copy of advertisement) On water bills (attach copy of bill) Email message (MUST Email the message to the address below) Other
	Date(s) customers were informed: $5/15/30/3$ / / / / /
	CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct delivery methods used
	Date Mailed/Distributed: / /
	CCR was distributed by Email (MUST Email MSDH a copy) As a URL (Provide URL As an attachment As text within the body of the email message
\mathbb{X}	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
1	Name of Newspaper: Smith Country Re Loumes
	Name of Newspaper: Smith Country Reformer Date Published: 5/5//3
	CCR was posted in public places. (Attach list of locations) Date Posted: / /
	CCR was posted on a publicly accessible internet site at the following address (<u>DIRECT URL REQUIRED</u>):
I he publithe	reby certify that the 2012 Consumer Confidence Report (CCR) has been distributed to the customers of this lic water system in the form and manner identified above and that I used distribution methods allowed by SDWA. I further certify that the information included in this CCR is true and correct and is consistent with water quality monitoring data provided to the public water system officials by the Mississippi State artment of Health, Bureau of Public Water Supply.
Nan	ne/Title (President, Mayor, Owner, etc.)

Deliver or send via U.S. Postal Service: Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215

May be faxed to: (601)576-7800

May be emailed to: Melanie.Yanklowski@msdh.state.ms.us

2013 MAY -9 AM 8: 07

2012 Annual Drinking Water Quality Report Traxler Water Association, Inc. PWS#: 0650012 May 2013

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Cockfield Formation Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Traxler Water Association, Inc. have received a lower to moderate susceptibility ranking to contamination.

If you have any questions about this report or concerning your water utility, please contact Rebecca Frith at 601.269.3605. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on second Thursday of each month at 7:00 PM at the water office.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during for the period of January 1st to December 31st, 2012. In cases where monitoring wasn't required in 2012, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

				TEST RES	ULTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure- ment	MCLG	MCL.	Likely Source of Contamination
Inorganic	Contam	inants						
8. Arsenic	N	2010*	.8	.78	ppb	n/a	10	Erosion of natural deposits; runo from orchards; runoff from glass and electronics production waste
10. Barium	N	2010*	.002	No Range	ppm	2	2	Discharge of drilling wastes;

Chlorine	N	2012	.90	.40 – 1.8	ppm	0	* 1		Water additive used to control microbes		
82. TTHM [Total trihalomethanes]	N	2012	80	RAA	ppb	pb 0			By-product of drinking water chlorination.		
81. HAA5	N	2012	29	RAA	ppb	0			By-Product of drinking water disinfection.		
Disinfectio	n By-	Products	:								
21. Selenium	N	2010*	4.4	2.4 – 4.4	ppb		50	5	 Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines 		
17. Lead	N	2009/11*	5	0	ppb	ppb		AL=1	systems, erosion of natural deposits		
16. Fluoride	N	2010*	.215	.204215	ppm		4		Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories		
14. Copper	N	2009/11*	.2	0	ppm		1.3	AL=1	systems; erosion of natural deposits; leaching from wood preservatives		
13. Chromium	N	2010*	7.1	6.7 – 7.1	ppb		100	100	mills; erosion of natural deposits		
									discharge from metal refineries; erosion of natural deposits		

^{*} Most recent sample. No sample required for 2012. Disinfection By-Products:

We routinely monitor for the presence of drinking water contaminants. Testing results we received show that our system exceeded the standard, or maximum contaminate level (MCL) for Disinfection Byproducts in the second and third quarters of 2012. The standard for Trihalomethanes (TTHM) is .080 mg/l. Our sample ranged from .082 - .093.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

*****April 1, 2013 MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING*****

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 — December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has completed the monitoring requirements and is now in compliance with the Radionuclides Rule. If you have any questions, please contact Karen Walters, Director of Compliance & Enforcement, Bureau of Public Water Supply, at 601.576.7518.

The Traxler Water Association, Inc. works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Traxler Water Association will not mail CCR. Copy available at our office.

⁽⁸²⁾ Total Trihalomethanes (TTHMs). Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.

ne, the

and for

PI the

MITH

'spaper

Smith

g duly

MITH

spaper

3-31 of

iotated

ice, of

_ times

2012 ANNUAL DRINKING WATER QUALITY REPORT TRAXLER WATER ASSOCIATION, INC PWS ID# 0650012 MAY 2013

're pleased to present to you this year's Annual Quality Water Report. This roport is designed to inform you about the quality water and vices we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to ierstand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring quality of your water. Our water source is from wells drawing from the Cockfield Formation Aquifer.

source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water support w to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made been furnished to our public water system and is available for viewing upon request. The wells for the Traxler Water Association, Inc. have eived a lower to moderate susceptibility ranking to contamination.

you have any questions about this report or concerning your water utility, please contact Rebecca Prith at 601.269.3605. We want our valued stomers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held the second Thursday of each month at 7:00 PM at the water office.

routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water in the taminants that we detected during the period of January 1st to December 31st, 2012. In cases where monitoring wasn't required in 2012, the le reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in ne cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbia ataminants such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and Idlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or messic wastewater discharges, oil and gas production, mining, or farming, pesticides and herbicides, which may come from a variety of sources mestic wastewater tractanges, on any gas production, maning, or rathing, posteriors and including synthetic and volatile organic chemical contaminants, including synthetic and volatile organic chemicals chas agriculture, urban storm runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals ch as agriculture, urban storm runoit, and residential uses; organic chemical contaminants, including synthetic and volutile organic chemicals iich are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive naminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water naminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water stations that limit the amount of certain contaminants in water provided by public water systems. All drinks afe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. 3 water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to member that the presence of these constituents does, not necessarily indicate that the water poses a health risk.

this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided

tion Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must fol-

'aximum Contaminant Level (MCL) - the "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water ICLs are set as close to the MCLGs as feasible using the best available treatment technology.

laximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no know expected risk to health. MCLGs allow for a margin of safety.

faximum Residual Disinfectant Level (MRDL). The highest level of a disinfectant allowed in drinking water. There is convincing evidence that idition of a disinfectant is necessary for control microbial contaminants.

taximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected sk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

'arts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in

'arts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000.00.

PWS 1D	# 065001	2		TEST RE	SULTS				18	8
iostaninstoc.	Violation	Date	Level Detected	Range of Detects or f of Samples Exceeding MCL/ACL	Unit Measusement	MCLO	MCL.	Likely Source of Contemination	Lik es	ic
Inorganie 3. Arsenie	Contam	inants 2010*	1	7-8	ppb	n/s	10	Exusion of natural deposits, monoff from certaines: runoff from glass and electronics production wastes	6 24	á
10. Harism	N	2010°	.00	.0103	ppea	2	2	Discharge of drilling wastes; discharge from metal refineries; ension of natural deposits	l c	ns
1 Calabia	N	2010*	1,,7.1	6.7:7.1	99b	_{ri} l, 100	1. 100	Discharge from secol & pady mills; ecculous of matural deposits	1	11

3. Cheavon	N	2010*	7.1	6.7 - 7.1	ppb	- 100	100	Discharge from steel & pulp milts; erosion of actural deposits.
[4.Copper	N	2,09711*	.2	0	ppm	1.3	AL:13	Corrosion of household plumbing systems; crossion of natural deposits: teaching from wood preservatives
16 Hounds	N	2010*	.215	.204215	ppn	4	4	Faosion of natural deposits; water additive which promotes strong leath discharge from fertilizer & aluminum factories
17.1200	N.	2009111	5	0	Plep	0	AL=15	Corresion of household plumbing systems; emotion of patural deposits.
21. Selemmo	N.	2016*	4.4	24 - 44	ppb	.50	50	Discharge from petroleum & metal refuseries; erosion of natural deposits; discharge from mines.
Disinfecti	on By-P	~					T	n a tradition design
ZAAH.18	N	2012	29	RAA	pph	0	60	By Product of drinking water disinfection.
82. TTTIM (Tetal uikstanethine	N	2012	80	RAA	jipb .	0	100	By product of difficial water chaloritation
Chlorine	N	2012	.90	.40 - 1.8	ppin	0	MORLM	Water additive used to control microbes.
		1		1				J

*Most recent sample. No sample required for 2012.

82. Total Trihalomethanes (TTHMs). Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.

We routinely monitor for the presence of drinking water contaminants. Testing results we received show that our system exceeded the standard aximum contaminate levert (MCL) for Disinfection Byproducts in the second and third quarters of 2012. The standard for tribalomethanes (TTHM) is .080 mg/l. Our sample ranged from .082 - .093

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds or 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/ lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing, Please contact 601.576.7582 if you wish to have

All sources of drinking water are subject to potential contamination by substances that are naturally occutring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as

PROOF OF PUBLICATION


The State of Mississippi, County of Smith PERSONALLY CAME before n undersigned a Notary Public in a SMITH COUNTY, MISSISSIP OFFICE CLERK of the S COUNTY REFORMER, a new published in the Town of Raleigh. County, in said State, who bein sworn, deposes and says that the § COUNTY REFORMER is a new as defined and prescribed in §13the Mississippi Code 1972 An and that the publication of a no which the annexed is a copy, matter of

has been made in said paper consecutively, to-wit: On the 15 day of day of On the ___ day of On the day of

SWORN to and subscribed before me

ost ho 'arts per billion (ppb) or Micrograms per liter · one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000.00.

PWS ID	/ 06500	12		TEST RE	SULTS				
Contamizant	Violation V/N	Date Collected	Level Detected	Range of Descrizor of Samples Exceeding MCL/ACL	Unit Measurement	MCLO	MCI.	Likety	Source of Contemposition
Inorgani	e Contar	olnants							
1. Arsenic	Н	2010*		7 - 8	Ne	pi	10	Erosio	a of national deposits; recolf from orchards; recolf from glass and electronics production waster
10 Barium	N	20101	.03	.0103	ppm	2	1	Disch	urge of drilling waster, discharge from metal refuseries; erosion of natural deposits
معداداس وا		, 20101	J.,,21	1,.67,71	PÇÒ rè], 1∞,	100	Djyca	tade (Sion Recy & Brit's wallite ecologic of parimum grocosian
13.0	Chrosum	N	2010*	7.1 6.7 - 7.1	P	pb .	100	100	Discharge from steel & putp mills; erosion of natural deposits.
Hi c	Copper	н "	2009/11*	2 0	P	pern	1.3	Ál≃L3	Corrosion of household plumbing systems; emision of natural deposits: leaching from wood preservatives



ilio

82. Total Trihalomethanes (TTHMs). Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.

We routinely monitor for the presence of drinking water contaminants. Testing results we received show that our system exceeded the standard or maximum contaminate lever! (MCL) for Disinfection Byproducts in the second and third quarters of 2012. The standard for tribalomethanes (TTHM) is .080 mg/l. Our sample ranged from .082 - .093.

If present, elevated levels of lead cau cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods; and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-425-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. BPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

****April 1, 2013 MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING****

In accordance with the Radionnelides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning

^{*}Most recent sample. No sample required for 2012.